#### 690036

The precision bored and honed milling head, coupled with the hardened and ground 8" x 36" table ensures retention of tolerances, while locks on all moving surfaces increase user safety. The JET JVM-836 has features you've come to expect that are backed by the industry-leading JET Two Year Warranty



#### **FEATURES**

- · Precision bored and honed milling head
- · Large diameter quill is chromed
- High precision spindle bearings
- Over 10" of front to back ram travel
- · Locks on all movable surfaces
- Hardened and ground precision table
- · Head tilts left or right
- · Graduated scale on column
- Precision ground dovetail ways
- One shot lubrication system
- Way covers
- Draw bar
- Tool box and tools





### JET RED ASSURANCE 2-YEAR WARRANTY

JET warrants every product it sells. If one of our tools needs service or repair, one of our Authorized Service Centers located throughout the United States can give you quick service. In most cases, any of these JPW Industries Authorized Service Centers can authorize warranty repair, assist you in obtaining parts, or perform routine maintenance and major repair on your JET tools. For the name of an Authorized Service Center in your area call 1-800-274-6848.

STAND BEHIND YOUR WORK™



690036

### **SPECIFICATIONS**

Spindle Taper (In. x TPI)	R-8
Table Size (L x W) (In.)	7-7/8 x 35-3/4
Quill Diameter (In.)	3-3/8
Number of Spindle Speeds	5
Range of Spindle Speeds (RPM)	240 - 1,550
Quill Down Feed Rates (IPR)	.0015003006
Spindle Travel (In.)	5
Head Movement (Deg.)	90 R & L
Max Distance Spindle to Table (In.)	13-3/4
Distance Spindle to Column (Max.) (In.)	15-3/4
Distance Spindle to Column (Min.) (In.)	5-1/4
Collet Capacity	1/8 - 7/8
Table Longitudinal Travel (In.)	22-1/4
Table Longitudinal Travel With Powerfeed (In.)	18
Table Cross Travel (In.)	9-1/2
T-Slots Number and Size (In.)	3 and 5/8
T-Slot Centers (In.)	2-1/2





STAND BEHIND YOUR WORK JET



690036

### **FULL SERIES**

STOCK NO	MODEL NO	DIGITAL READOUT	NUMBER OF AXIS	POWERFEED	POWER DRAW BAR	SPINDLE TAPER (IN. X TPI)
690162	JVM-836-1	ACU-Rite 200S	2			R-8
690036	JVM-836-1					R-8
690156	JVM-836-1			X-Axis		R-8
690211	JVM-836-1			X and Y-Axis		R-8
690239	JVM-836-1	ACU-RITE VUE	2			R-8
690198	JVM-836-1	ACU-RITE VUE	2	X-Axis		R-8
690213	JVM-836-1	ACU-RITE VUE	3 (Quill)	X-Axis		R-8
690212	JVM-836-1	ACU-RITE VUE	2	X and Y-Axis		R-8
690177	JVM-836-1	ACU-RITE 200S	2			R-8
690144	JVM-836-1	ACU-RITE 200S	2	X-Axis		R-8
691173	JVM-836-1	Newall DP700	2			R-8
691174	JVM-836-1	Newall DP700	2	X-Axis		R-8
691175	JVM-836-1	Newall DP700	2	X and Y-Axis		R-8
691176	JVM-836-1	Newall DP700	3 (Quill)			R-8
691177	JVM-836-1	Newall DP700	3 (Quill)	X-Axis		R-8
691228	JVM-836-1	Newall DP700	3 (Knee)			R-8
690038	JVM-836-3					R-8
690174	JVM-836-3			X-Axis		R-8
690175	JVM-836-3			X and Y-Axis		R-8
690191	JVM-836-3	ACU-RITE VUE	2			R-8
690194	JVM-836-3	ACU-RITE VUE	2	X-Axis		R-8
690190	JVM-836-3	ACU-RITE 200S				R-8



# STAND BEHIND YOUR WORK™



690036

### **FULL SERIES**

STOCK NO	MODEL NO	DIGITAL READOUT	NUMBER OF AXIS	POWERFEED	POWER DRAW BAR	SPINDLE TAPER (IN. X TPI)
690047	JVM-836-3	ACU-RITE 203	3 (Knee)	X and Y-Axis		R-8
691179	JVM-836-3	Newall DP700	2			R-8
691180	JVM-836-3	Newall DP700	2	X-Axis		R-8
691183	JVM-836-3	Newall DP700	2	X and Y-Axis		R-8
691184	JVM-836-3	Newall DP700	3 (Quill)			R-8
691185	JVM-836-3	Newall DP700	3 (Quill)	X-Axis		R-8
691186	JVM-836-3	Newall DP700	3 (Quill)	X and Y-Axis		R-8



# STAND BEHIND YOUR WORK™ JET

